

YOUR PARTNER IN TOTAL OFFICE SOLUTION



HSM SECURIO C-Series | Small Office

Space-saving, efficient and secure

The C-series impresses with its appealing compact design and easy to use. Perfect for document shredding at the office or at home.



Model	C14S	C14C	C16S	C16C	C18S	C18C	C18CC
Cutting Style	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Micro Cut
Security Level DIN 66399	P-2	P-4	P-2	P-4	P-2	P-4	P-5
Cutting Size (mm)	3.9	4 x 25	3.9	4 x 25	3.9	3.9 x 30	1.9 x 15
Cutting Capacity (70gms)	12-14	6-7	13-15	6-7	14-16	10-11	8-9
Intake Width (mm)	225		225			230	
Bin Size (litres)	20		25			25	
Dimensions WxDxH (mm)	366 x 258 x 405		366 x 258 x 455			365 x 280 x 542	
Weight (kg)	5.91	4.5	4	4.5	10	11	11

HSM SECURIO B-Series | Medium Office

Economical, reliable and versatile

The B-series impresses with its high level of performance and maximum functionality. The product range offers document shredders for the workplace or small working groups.



Model	B22S	B22C	B22CC	B24S	B24C	B24CC	B26S	B26C	B26CC
Cutting Style	Strip Cut	Cross Cut	Micro Cut	Strip Cut	Cross Cut	Micro Cut	Strip Cut	Cross Cut	Micro Cut
Security Level DIN 66399	P-2	P-4	P-5	P-2	P-4	P-5	P-2	P-4	P-5
Cutting Size (mm)	3.9	3.9 x 30	1.9 x 15	3.9	4.5 x 30	1.9 x 15	3.9	4.5 x 30	1.9 x 15
Cutting Capacity (70gms)	16-18	12-14	9-11	22-24	17-19	11-13	22-24	17-19	11-13
Intake Width (mm)	240			240			310 (A3)		
Bin Size (litres)	33			35			55		
Dimensions WxDxH (mm)	375 x 310 x 600			395 x 317 x 605			497 x 397 x 676		
Weight (kg)	11	12.5	12	15	19	16	24	26	27

HSM SECURIO B-Series | Heavy Duty

Elegant, reliable and powerful

The B-series shredders with a large bin capacity are characterized by a robust construction with maximum functionality. This range of document shredders is designed for medium or large groups.



Model	B32S	B32C	B32CC	B34S	B34C	B34CC	B35S	B35SS	B35C	B35CC
Cutting Style	Strip Cut	Cross Cut	Micro Cut	Strip Cut	Cross Cut	Micro Cut	Strip Cut	Strip Cut	Cross Cut	Micro Cut
Security Level DIN 66399	P-2	P-4	P-5	P-2	P-4	P-5	P-2	P-2	P-4	P-5
Cutting Size (mm)	3.9	4.5 x 30	1.9 x 15	3.9	4.5 x 30	1.9 x 15	5.8	3.9	4.5 x 30	1.9 x 15
Cutting Capacity (70gms)	22-24	17-19	11-13	28-30	22-24	14-16	40-42	30-32	24-26	16-18
Intake Width (mm)	310 (A3)			310 (A3)			400 (A3)			
Bin Size (litres)	82			100			130			
Dimensions WxDxH (mm)	497 x 398 x 793			541 x 439 x 845			620 x 525 x 870			
Weight (kg)	26	27	27	35	42	42	48	48	54	53

HSM PURE Document Shredder | Departmental Heavy Duty

Convincingly powerful. Unbelievable economical.

For multiple users who process large quantities of data media with sensitive, company or confidential information frequently and who need to shred the data securely and reliably in-house.



Model	630S	630C	630CC	740S	740C	740CC	830S	830C	830CC	940S	940C	940CC
Cutting Style	Strip Cut	Cross Cut	Micro Cut	Strip Cut	Cross Cut	Micro Cut	Strip Cut	Cross Cut	Micro Cut	Strip Cut	Cross Cut	Micro Cut
Security Level DIN 66399	P-2	P-4	P-5	P-2	P-4	P-5	P-2	P-4	P-5	P-2	P-4	P-5
Cutting Size (mm)	3.9	4.5 x 30	1.9 x 15	3.9	4.5 x 30	1.9 x 15	3.9	4.5 x 30	1.9 x 15	5.8	3.9 x 40	1.9 x 15
Cutting Capacity (70gms)	29-31	25-27	17-19	29-31	25-27	16-18	47-49	39-41	20-22	65-67	39-41	25-27
Intake Width (mm)	310 (A3)		400 (A3)		330 (A3)		400 (A3)		165		400 (A3)	
Bin Size (litres)	130		145		150		165		165		165	
Dimensions WxDxH (mm)	538 x 487 x 889			620 x 487 x 889			579 x 548 x 954			620 x 487 x 1021		
Weight (kg)	42.7	47.6	47.2	47.5	53.6	53.6	68	73	74	80	91	91

HSM SECURIO Autofeed Series

Innovative, convenient and time-saving

The autofeed shredders of the AF-series with Nanogrip Technology combine functionality and operating convenience. For reliable and easy destruction of document stacks and single sheets.



Model	AF100C	AF150C	AF150CC	AF300C	AF300CC	AF500C	AF500CC	
Cutting Style	Cross Cut	Cross Cut	Micro Cut	Cross Cut	Micro Cut	Cross Cut	Micro Cut	
Security Level DIN 66399	P-4	P-4	P-5	P-4	P-5	P-4	P-5	
Cutting Size (mm)	4 x 25	4.5 x 30	1.9 x 15	4.5 x 30	1.9 x 15	4.5 x 30	1.9 x 15	
Cutting Capacity (70gms)	6-7	10-12	8-9	14-16	9-11	17-19	11-13	
Loading Capacity (70gms)	100	150		300		500		
Autofeed								
Intake Width (mm)	225	240		240		240		
Bin Size (litres)	25	35		35		82		
Dimensions WxDxH (mm)	375 x 260 x 620		395 x 381 x 740		395 x 435 x 837		497 x 491 x 1002	
Weight (kg)	7	18		19		29		

P-1 Strip Cut 11.8mm

P-2 Strip Cut 3.9/5.8mm

P-3 Cross Cut 5.8 x 50mm
Cross Cut 6 x 40-53mm

P-4 Cross Cut 3.9 x 40mm
Cross Cut 4.5 x 30mm

P-5 Micro Cut 1.9 x 15mm

P-6 Cross Cut 0.78 x 11mm

P-7 Cross Cut 1 x 5mm



5 years warranty on HSM SECURIO C, B, P and Pure series shredders in security levels P-2 to P-5 (year 2024 onwards).

3 years warranty on Autofeed series.



HSM delivers combine precision, durability and a good price-performance ratio for the benefit of users.



Lifetime warranty on cutting rollers for HSM SECURIO shredders at security levels P-2 to P-5.



Hardened solid steel cutting rollers for long service life and high resistance to wear.

HSM Powerline Heavy Duty Industrial Shredder

Convenient and simple

This robust technology is specially designed for a large throughput and long total operating time. The powerful heavy duty industrial shredders are perfect for large archives or as a central station for document shredding.



450.2



FA400.2



FA500.3



Induction-hardened, solid steel cutting rollers are robust and ensure a high level durability.



Powerful motor ensures a high cutting capacity and reliable continuous operation.



Waste container can be easily removed and emptied.



Easy to use control panel with LED display signals the operating status.

Model	450.2 C	450.2 CC	FA400.2 S	FA400.2 SS	FA400.2 C	FA400.2 CC	FA500.3 C	FA500.3 C	FA500.3 CC	FA500.3 CC
Cutting Style	Cross Cut	Micro Cut	Strip Cut	Strip Cut	Cross Cut	Cross Cut	Cross Cut	Cross Cut	Cross Cut	Micro Cut
Security Level DIN 66399	P-4	P-5	P-1	P-2	P-3	P-4	P-2	P-3	P-4	P-5
Cutting Size (mm)	3.9 x 40	2 x 15	11.8	5.8	5.8 x 50	3.9 x 40	10.5 x 40-76	6 x 40-53	3.9 x 40	1.9 x 15
Cutting Capacity (70gms)	80-85	35-40	180	130	120	95-100	600-650	360-410	200-240	120-130
Intake Width (mm)	443				428				500	
Voltage/Frequency	400V/50Hz (3 Phase)				400V/50Hz (3 Phase)				400V/50Hz (3 Phase)	
Bin Size (litres)	290				460				530	
Dimensions WxDxH (mm)	[450.2 C] 750 x 665 x 1590				1157 x 1568 x 1650				1168 x 1797 x 1792	
	[450.2 CC] 750 x 665 x 1460									
Weight (kg)	220		445	425	430	444	883	905	905	1060

HSM Powerline Shredder Baler Combinations

The shredder baler combinations shred and compress the shredded material into bales (up to 10:1 in size) for an organized warehouse and reduced cost of transportation.

Bale Sample



Model	SP 4040V S	SP 4040V C	SP 5080 C	SP 5080 CC	SP 5088 C	SP 5088 CC
Cutting Style	Strip Cut	Cross Cut	Cross Cut	Cross Cut	Cross Cut	Cross Cut
Security Level DIN 66399	P-2	P-3	P-4	P-2	P-3	P-4
Cutting Size (mm)	5.8	5.8 x 50	3.9 x 40	10.5 x 40-76	6 x 40-53	3.9 x 40
Cutting Capacity (70gms)	130	120	95-100	600-650	400-450	200-240
Intake Width (mm)	428			500		500
Pressing Power (kN)	44			80		85
Power Consumption (kW)	6.2			11.5		11.5
Voltage/Frequency	400V/50Hz (3 Phase)			400V/50Hz (3 Phase)		400V/50Hz (3 Phase)
Max. Bale Size WxHxL (mm)	600 x 500 x 400			570 x 490 x 800		500 x 500 x 400-950
Dimensions WxDxH (mm)	1090 x 2030 x 1970			1168 x 2398 x 1795		1246 x 3222 x 1795
Weight (kg)	737			1350		1660

HSM ProfiPack | Cardboard Shredder

From waste to packaging material

The cardboard shredders are a brilliant solution for all shipping and storage areas. It perforates used cardboard to make universally usable packaging material. This saves costs and at the same time, is a sensible and practical contribution to environmental protection.



ProfiPack C400



ProfiPack P425



Model	ProfiPack C400
Intake Width	415mm
Cutting Speed	135/sec
Loading Thickness	10mm
Driving Power	0.7kW
Voltage/Frequency	240V/50Hz
Weight	47kg
Dimensions WxDxH	610 x 395 x 375mm

Model	ProfiPack P425
Intake Width	425mm
Cutting Speed	220mm/sec
Loading Thickness	20mm
Driving Power	1.8kW
Voltage/Frequency	400V/50Hz
Weight	181kg
Dimensions WxDxH	770 x 611 x 1040mm

HSM StoreEx Digital Data Media Shredders | Hard Drives

The Only Way to Destroy Confidential Data Securely and Reliably

The HSM StoreEx digital data media shredders shred digital and magnetic media into tiny particles, making recovery practically impossible. Safe and efficient to use, data protection compliant.

Shredding Material



HDS 150




HDS 230 (Single Stage)



HDS 230 (Dual Stage)



The induction-hardened, solid steel cutting rollers are robust and ensure a high level of durability!



This powerful machine provides an excellent cutting performance combined with reliable continuous operation.



The selection of the correct mode will always ensure the maximum throughput for the different material type.



Automatic reverse function eliminates material jams and ensures your shredding operations run smoothly.

Model	HDS 150 (Single Stage)	HDS 230 (Single Stage)	HDS 230 (Dual Stage)
Cutting Type	Strip Cut	Particle Cut	Particle Cut
Cutting Size (mm)	40	20 x 40-50	11.5 x 26
Driving Power (kW)	1.5	3.2	6.2
Dimensions WxDxH (mm)	1200 x 815 x 1325	1040 x 2858 x 1696	1040 x 3098 x 1696
Weight (kg)	534	1021	1260
Voltage/Frequency	230V/50Hz	400V/50Hz	400V/50Hz

GBC ShredMaster | Small Office Series

The Ability to Shred More

The ShredMaster is easy to operate with its intuitive touch controls. It is quiet, and non-disruptive with the power to shred more.



Model	S206	X308	Duo	X312	X312-SL
Cutting Style	Strip Cut	Cross Cut	Cross Cut	Cross Cut	Cross Cut
Security Level DIN 66399	P-2	P-3	P-3	P-3	P-3
Cutting Size (mm)	6	5 x 42	4 x 45	5 x 42	5 x 42
Cutting Capacity (70gsm)	7	9	11	13	13
Intake Width (mm)	217	220	220	220	220
Bin Size (litres)	9	15	17	23	23
Dimensions HxWxD (mm)	288 x 319 x 156	343 x 325 x 229	370 x 340 x 230	423 x 356 x 238	375 x 255 x 370
Weight (kg)	1.75	4.17	4.4	5.4	5.53

GBC ShredMaster | Medium Office Series

ShredMaster series designed to performance at its peak with high level of security and long run times. It is easy to operate with simple and Intuitive touch controls. Comes with anti-jam technology.



Model	X415	M515	22SM	31SX	33SM	35SX
Cutting Style	Cross Cut	Micro Cut	Micro Cut	Cross Cut	Micro Cut	Cross Cut
Security Level DIN 66399	P-4	P-5	P-5	P-3	P-5	P-4
Cutting Size (mm)	4 x 40	2 x 15	2 x 10	4 x 25	2 x 10	4 x 25
Cutting Capacity (70gsm)	17	17	8	16	10	21
Intake Width (mm)	223	230	228	228	228	230
Bin Size (litres)	23	30	20	30	30	36
Dimensions HxWxD (mm)	465 x 370 x 279	594 x 406 x 320	518 x 368 x 291	600 x 372 x 322	600 x 372 x 322	667 x 404 x 350
Weight (kg)	12	17.7	9.7	12.5	12.5	19

GBC ShredMaster | Heavy Duty Series

Extra Power to Shred Even More

These jam free paper shredders are ideal for destroying confidential documents in the office. Designed for moderate to heavy use, this range of shredders have high sheet capacity, large bin size and continuous run time.



Model	XP418+	XP420+	XP514+	XP422+	XP516+	XP426+	XP520+
Cutting Style	Cross Cut	Cross Cut	Micro Cut	Cross Cut	Micro Cut	Cross Cut	Micro Cut
Security Level DIN 66399	P-4	P-4	P-5	P-4	P-5	P-4	P-5
Cutting Size (mm)	4 x 35	4 x 35	2 x 15	4 x 35	2 x 15	4 x 35	2 x 15
Cutting Capacity (70gsm)	20	22	16	25	17	29	21
Intake Width (mm)	230	230		230		310 (A3)	
Bin Size (litres)	45	60		85		120	
Dimensions HxWxD (mm)	675 x 445 x 479	722 x 512 x 457		877 x 512 x 457		1028 x 553 x 509.5	
Weight (kg)	28.9	33	34	36	37	59	60

GBC Autofeed Series

Hands Free Shredders | Autofeed Technology

These fully automatic paper shredders equipped with long run times (and fan cooling), intuitive touch controls and anti-jam technology. Shredding made easy! Simply load the shredder with paper, close the lid and walk away.



Model	50X	100X	150M	225M	300M	600M
Cutting Style	Cross Cut	Cross Cut	Micro Cut	Micro Cut	Micro Cut	Micro Cut
Security Level DIN 66399	P-4	P-4	P-5	P-5	P-5	P-5
Cutting Size (mm)	4 x 28	4 x 28	2 x 15	2 x 15	2 x 15	2 x 15
Cutting Capacity (80gsm)	6	8	6	8	8	10
Bypass						
Loading Capacity (80gsm)	50	100	150	225	300	600
Autofeed						
Intake Width (mm)	227	227	227	227	227	227
Bin Size (litres)	20	34	44	60	60	110
Dimensions HxWxD (mm)	430 x 407 x 364	529 x 434 x 365	617 x 434 x 365	775 x 465 x 410	775 x 465 x 410	1033 x 593 x 510
Weight (kg)	11.6	14.22	15.44	23	23	46

GBC SOHO Laminator



Model	Inspire Plus A4	Inspire Plus A3	Fusion 1000L A4	Fusion 1100L A3
Max. Lamination Size	A4	A3	A4	A3
No. of Rollers	2	2	2	2
Pouch Capacity (mic)	75/100	75/100	75	75/125
Speed (mm/min)	230	230	330	330
Speed Control	Fixed	Fixed	Fixed	Fixed
Temperature Control	Fixed	Fixed	Fixed	Fixed
Reverse Function	Lever	Lever	Lever	Lever
Warm-Up Time (min)	3-5	4-6	4	3

GBC Office to Heavy Duty Laminator



Model	Fusion 3000L A4	Fusion 3000L A3	Fusion 6000L A3	Fusion 7000L A3	ProSeries 3600
Max. Lamination Size	A4	A3	A3	A3	A3
No. of Rollers	2	2	4	6	6
Pouch Capacity (mic)	75-125	75-125	75-250	75-250	350
Speed (mm/min)	500	500	1200	1400	1400
Speed Control	Fixed	Fixed	Auto Detect	Auto Detect	Variable/9 Settings
Temperature Control	Fixed	Fixed	Variable	Variable	Variable
Reverse Function	Lever	Lever	Auto	Auto	Auto
Warm-Up Time (min)	1	1	1	1	6

GBC Autofeed Laminator



Model	Foton 30
Max. Lamination Size	A3 330mm (Document Size)
No. of Rollers	4
Pouch Capacity (mic)	75-125
Speed (mm/min)	650-700 (approx. 3 docs/min)
Speed Control	Auto Detect
Temperature Control	Auto Detect
Warm-Up Time (min)	3-4



Foton Laminating Film

- 75 Micron
- 100 Micron
- 125 Micron



Date & Text Perforating

Model	Perfoset I/D	Perfoset II/D	Office D	Perfoset ED
1 st Line Perforation	TELAH BAYAR or customizable			
2 nd Line Perforation	6 Digit Date Slide Perforation (i.e. 30 th October 2023 = 30.10.23)			
Operation	Manual			
Capacity based on 7 Characters (70gms)	15 sheets	25 sheets	20 sheets	28 sheets
Insertion Depth (mm)	75	110	42	105
Secured by Keylock	Yes	Yes	Yes	Yes

Text Perforating

Model	Perfoset I/T	Perfoset II/T	Office T	Perfoset ET
Fixed Text Perforation	TELAH BAYAR or customizable			
Operation	Manual			
Capacity based on 7 Characters (70gms)	15 sheets	25 sheets	20 sheets	28 sheets
Insertion Depth (mm)	75	110	42	105
Secured by Keylock	Yes	Yes	Yes	Yes

Perfostar Wheel Type Perforating



Model	Perfostar								
	I/Z	II/Z	E/Z	I/D	II/D	E/D	I/A	II/A	E/A
Type	Number								
Operation	Date								
Capacity based on 6 Wheels (70gms)	15 sheets	25 sheets	30 sheets	15 sheets	25 sheets	30 sheets	15 sheets	25 sheets	30 sheets
Insertion Depth (mm)	100	110	105	100	110	105	100	110	105
Max. Perforation Length (mm)	84	110	112	84	110	112	84	110	112
Optional Fixed Text	Yes			Yes			Yes		

Perforation Sample

Fixed Text Only

Date Only

Date & Text

TELAH BAYAR 17.08.23

TELAH BAYAR
17.08.23

ABC
6mm
ABC
8mm
ABC
10mm

Embossing

Embossing Sample



Model	Microset	Perfoset I/P	Perfoset II/P	Embosset
Operation	Manual	Manual	Manual	Electric
Max. Stamp Size (mm)	30	40	75	40
Insertion Depth (mm)	45	75	110	70
Weight (kg)	1	5.8	11.2	15.5

badgy ID Card Printer

The **BADGY** card printer all-in-one solution allows you to create and print your own personalized plastic cards and badges. This is the best value plastic card printer available.

For many purposes :

- Employee badges
- Event badges
- Access cards
- Visitor badges
- Business cards
- Loyalty badges
- Student badges



Model	BADGY 100	BADGY 200
Print Area	Margin of 1.35mm	Edge-to-Edge
Print Speed (Colour)	45s per card (80 cards an hour)	38s per card (95 cards an hour)
Print Speed (Mono)	16s per card (225 cards an hour)	11s per card (327 cards an hour)
Included Software	Evolis BadgeStudio	Evolis BadgeStudio version+
Supplied Consumables Pack	For 50 prints + 1 cleaning card	For 100 prints + 1 cleaning card
Printing Mode	Colour dye sublimation, mono thermal transfer	
Print Resolution	300 x 300 dpi	
Card Capacities	25 cards input/25 cards output	
Card Type/Thickness	0.5 to 0.76mm/20 to 30mil	
Dimensions HxWxD	148 x 200 x 276mm	
Weight	1.665kg	

MAGICARD ID Card Printer

MAGICARD offers wide range of printers to exceed every user's requirement. High speed, edge-to-edge printing, high security, high resolution, photo-realistic colour reproduction or simply the most reliable and best supported printer in the market.

HoloKote for greater visual security

MAGICARD printers are renowned for their built-in card security features. HoloKote patented by MAGICARD, allows you to print a watermark on your card surface with the standard consumables/customizable HoloKote for 300NEO & 600NEO.



Small Office

Corporate

Professional

Model	100NEO	300NEO	600NEO
Type	Single-sided only	Duplex upgradable	Duplex upgradable
Print Area	Edge-to-Edge	Edge-to-Edge	Edge-to-Edge
Print Speed (Colour)	18s per card (200 cards an hour)	22.5s per card (160 cards an hour)	19s per card (190 cards an hour)
Print Speed (Mono)	4.7s per card (766 cards an hour)	5s per card (720 cards an hour)	4.8s per card (750 cards an hour)
Visual Security	3 Standard Holokote	4 Standard Holokote	10 Standard Holokote
Printing Mode	Colour dye sublimation, Mono thermal transfer, Rewritable technology		
Print Resolution	300 dpi	300 dpi	300 dpi/600 dpi
Connection	LAN	LAN	LAN/WiFi ready
Card Capacities	50 cards input/50 cards output	70 cards input/100 cards output/Hand-feed	
Card Type/Thickness	0.5 to 1.02mm/20 to 50mil	0.5 to 1.27mm/20 to 50mil	
Dimensions WxHxD	180 x 208 x 255mm	215 x 242 x 408mm	211.5 x 248 x 475.5mm
Weight	2.9kg	4.98kg	4.7kg

RENZ® Binding Machine



Model	Combi S	Combi ComfortPlus	Wire Go 3:1	Wire Go 2:1	SRW 360	Eco S 360
Style	Plastic Comb			Wire O		
Operation	Manual	Electric	Manual			Manual
Pitch Size	-	-	3:1 (34 loops)	2:1 (23 loops)	3:1 (34 loops)	2:1 (23 loops)
Punching Capacity (70gms)	25 sheets	20 sheets	20 sheets	20 sheets	22 sheets	25 sheets
Binding Capacity (70gms)	500 sheets		135 sheets	280 sheets	135 sheets	340 sheets
Adjustable Margin	Yes		Yes		Yes	
Disengageable Dies	Yes		Fixed		Yes	
Dual Handle Operation	Yes	Yes (Foot Pedal)	Yes		Yes	

HIC Binding Machine



Model	HPB210	HPB240	TCC210EPB	HEPB240
Style	Plastic Comb			
Operation	Manual Punching	Electric (button)	Electric (pedal)	Electric (pedal)
Punching Capacity (70gms)	20 sheets	20 sheets	10-15 sheets	20 sheets
Binding Capacity (70gms)	425 sheets			
Adjustable Margin	Yes			
Disengageable Dies	Yes			
Dual Handle Operation	Yes			

Rexel Paper Cutter & Trimmer



Model	1208P	1210P	1215P
Trim Style	Rotary Blade		
Trim Length	305mm (A4)		
Trim Capacity (70gms) :			
• Straight Cut	8 sheets	10 sheets	15 sheets
• Wave Cut	-	-	15 sheets
• Perforate Cut	-	-	15 sheets

Model	1210W	1710W
Trim Style	Gulloitine	
Trim Length	305mm (A4)	
Trim Capacity (70gms)	10 sheets	
EdgeGlow LED Light Guide	Yes	

MAX Stapler & Hole Puncher



Model	HD-12N/13	HD-12N/17	HD-12N/24	HD-12L/17
Operation	Manual Stapler			
Stapling Capacity (70gms)	30-110	30-170	50-240	30-160
Throat Depth (mm)	60			
Clinch Type	Conventional			
Bullet Type	Magazine			



Model	BH-11F	EH-70Fii	EH-110F
Operation	Electric Stapler		
Stapling Capacity (64gms)	40 sheets	70 sheets	100 sheets
Throat Depth (mm)	15.5		
Clinch Type	Flat		
Bullet Type	Magazine		

Model	EP-50CNII
Operation	Electric Hole Puncher
No. of Hole	2
Punching Capacity (64gms)	50
Max. Paper Size	A3 (Portrait)
Hole Size & Pitch	6mm & 80mm



Paper Shredder



Model	HC1501D
Cutting Style	Cross Cut
Security Level DIN 66399	P-3
Cutting Size (mm)	4 x 39
Cutting Capacity (70gms)	14-16
Intake Width (mm)	220 (A4)
Bin Size (litres)	22
Shred CD & Credit Card	Yes
Auto Reverse When Overload	Yes
Mobile on Castors	Yes



Model	HC2002D
Cutting Style	Cross Cut
Security Level DIN 66399	P-4
Cutting Size (mm)	4 x 28
Cutting Capacity (70gms)	20-22
Intake Width (mm)	220 (A4)
Bin Size (litres)	32
Shred CD & Credit Card	Yes
Auto Reverse When Overload	Yes
Mobile on Castors	Yes

Dino Paper Shredder



Model	Superstar	Deluxe	Plus	Grand	Super Grand
Cutting Style	Cross Cut				
Cutting Size (mm)	2 x 15	3 x 25	3 x 20	3 x 23	4 x 35
Cutting Capacity (70gms)	8 sheets	10 sheets	12-15 sheets	17-20 sheets	25 sheets
Intake Width (mm)		220 (A4)			240 (A4)
Bin Size (litres)	14	20	25	30	27
Shred CD & Credit Card	CD (No)			Yes	
Auto Reverse When Overload			Yes		
Mobile on Castor			Yes		



Hole Puncher



Model	1016	1620	2016	2032
No. of Holes	1	2	2	2
Operation	Manual			
Punching Capacity	160 sheets	160 sheets	160 sheets	300 sheets

PLUS Electronic Copyboard



Model	M-18S
Printing System	Colour Inkjet
Scanning System	Colour
Panel Size (mm)	1300(W) x 910(H)
Readable Area (mm)	1280(W) x 900(H)
No. of Pages	2
USB Interface	Yes
Stand & Castor	Yes



Model	M-18W
Printing System	Colour Inkjet
Scanning System	Colour
Panel Size (mm)	1800(W) x 910(H)
Readable Area (mm)	1780(W) x 900(H)
No. of Pages	2
USB Interface	Yes
Stand & Castor	Yes

Rapid Electric Stapler



Model	R5080E
Stapling Capacity	80 sheets
Stapling Style	Flat Clinch
Bullet Type	Cartridge
Country of Origin	Sweden



Model	R5080
Cassette Capacity	5000 Staples
Packaging	1 Cassette
Staples up to 80 sheets (80gsm)	
Country of Origin	Sweden



Model	AX150
Carriage Width	13"
Typing Width	9"
LCD Display	No
Typing Speed	12 cps
No. of Copies	Original + 2 Copies



Model	AX160
Carriage Width	13"
Typing Width	9"
LCD Display	Yes
Typing Speed	12 cps
No. of Copies	Original + 2 Copies

BRANDS & PRODUCT RANGE



Paper Shredder, Cardboard Shredder & Baling Press



Paper Shredder & Document Laminator

PERNUMA GmbH
KennzeichnungsSysteme
• • •

Perforator & Document Embosser



ID Card Printer



ID Card Printer



Electronic Copyboard



Paper Shredder



Binding Machine



Electric Stapler



Paper Cutter & Trimmer



Paper Shredder



Stapler & Hole Puncher



Typewriter



Binding Machine



Hole Puncher

AUTHORISED SERVICE CENTRE

Specialised in
Shredder
Binder
Perforator
Laminator



Authorised Dealer